

PS: 1563-2003 (R).

(ICS No: 67.200.20)

PAKISTAN STANDARD
FOR
REFINED SOYA BEAN OIL
(1ST REVISION)



(ALL RIGHTS RESERVED)
PAKISTAN STANDARDS AND QUALITY CONTROL AUTHORITY
Standards Development Centre,
39 – Garden Road, Saddar,
Karachi-7440

(i)

PAKISTAN STANDARD SPECIFICATION

FOR

REFINED SOYA BEAN OIL (1ST REV.)

OILSEEDS & THEIR ALLIED PRODUCTS SECTIONAL COMMITTEE.

CHAIRMAN

1. Dr. Abid Hasnain
Chairman,
Deptt. of Food Technology,
University of Karachi,
Karachi.

MEMBERS

2. Mr. Muhammad Saleem,
Chief, Nutrition Division,
National Institute of Health,
Islamabad.
3. Surgeon General,
AGS Branch (Med Dte),
GHQ, Rawalpindi.
4. Director General,
PCSIR Laboratories Complex,
Off, University Road, Karachi.
5. Director,
Quality Control Centre (PSQCA),
Block No.77, Pak Secretariat, Karachi.
6. Mr. Haq Nawaz Bangash,
Govt. Public Analyst,
Food Laboratory,
Leady Reading Hospital, Peshawar.
7. Govt. Public Analyst,
Food Laboratory,
Hyderabad.
8. Mr. Anwaruddin Qazi,
Incharge,
KMC Food Laboratory,
Karachi.
9. Chairman,
All Pakistan Fats & Oils Importers,
Karachi.
10. Miss Ghazala Sultana,
Senior Microbiologist,
Agriculture & Livestock Products
Marketing & Grading Deptt., Test House,
M. T. Road, Karachi.

(ii)

11. Mr. Saleem Chohan,
Director, Quality Assurance,
Trading Corporation of Pakistan Ltd.,
FCT Building, Shahrah-e-Faisal,
Karachi.
12. Director General,
Agricultural Research Institute,
Ternab, Peshawar.
13. Mr. Umer Farooq Hashmi,
Technical Manager,
Lever Brothers Pakistan Ltd.,
Awari Plaza, Fatima Jinnah Road, Karachi.
14. Secretary,
Pakistan Vanaspati Manufacturers
Association, Islamabad.
15. Director,
Oilseeds Research Institute,
Faisalabad.
16. Director General,
Agricultural Research Institute,
Tandojam.
17. Mr. Arshad Karim Bhatti,
Rafhan Best Foods Ltd.,
Shapur, Multan Road, Lahore.
18. Chairman,
Pakistan Cooking Oil Manufacturers
Association, Lahore.
19. Director General,
M/S. Punjab Cooking Oil Mills Ltd,
Khanewal Road, Kabirwala.
20. General Manager,
United Industries Ltd.,
101, First Floor, Regency Arcade,
Faisalabad.
21. Mr. Nizar G. Hussain,
Chairman,
Agro Processors & Atmospheric Gases
(Pvt.) Ltd., Karachi.
22. Mr. Ahsan Ali Shah,
Wazir Ali Industries,
Hali Road, Hyderabad.
23. Dr. Ehsanullah,
S. S. O.,
Food Technology Research Laboratory,
Pak. Agri. Research Council,
Islamabad.

(iii)

24. Mr. Iftikhar Ahmed, Malaysian Palm Oil Board,
Karachi.
25. Raja Bashir Ahmed,
General Manager, Habib Cooking Oil Mills Ltd.,
Karachi.
26. Mr. Abdurauf Khan, Pakistan Oil Development Board,
Islamabad.
27. Mrs. Raazia Shakir, Export Advisory Cell,
Ministry of Industries & Production,
Islamabad.
28. Ms. Izzat Afza Siddiqi, Customs Laboratory,
Custom House, Karachi.
29. Dr. M. Asad Hassan,
Director (Ex-Officio), Pakistan Standards & Quality Control
Authority, Standards Development Centre,
Karachi.

SECRETARIAT

1. Mr. Abdul Hayee,
Deputy Director (Agri. & Food) &
Secretary to the Committee, Pakistan Standards & Quality Control
Authority, Standards Development Centre,
Karachi.
 2. Mr. Naseem-us-Sami,
Dy. Asstt. Director (Agri. & Food), Pakistan Standards & Quality Control
Authority, Standards Development Centre,
Karachi.
-

(1)

PAKISTAN STANDARD SPECIFICATION
FOR
REFINED SOYA BEAN OIL (1ST REV.).

1. FOREWORD

- 0.1 This Pakistan Standard was adopted by the Pakistan Standards & Quality Control Authority, Standards Development Centre on **28th January, 2003**, after the draft finalized by the Oil Seeds & their Allied Products Sectional Committee had been approved by the Agriculture & Food Products Divisional Council.
- 0.2 This Pakistan Standard specification was first established in 1983, keeping in view the latest developments, in the Industries, the committee felt it necessary to revise.
- 0.3 This standard has been prepared in order to regulate the quality of refined soya bean oil produced in the country and of imported oil.
- 0.4 In preparation of this standard, the views of the manufacturers, technologists and testing authorities, etc., have been taken into consideration.
- 0.5 The final value, expressing the results of a test or analysis, shall be rounded off in accordance with PS:103-1991 (1st Rev.) "Methods of Rounding off Numerical Values". The number of significant places retained in the rounded off value shall be the same as that of the specified value in this standard.

1. SCOPE

- 1.1 This standard prescribes requirements and methods of sampling and test for Refined Soya bean Oil.

2. TERMINOLOGY

- 2.1 For the purpose of this standard, the following definition in addition to the definitions given under 2 of PS:56-1996 Methods of Sampling & Test for Vegetable Oil & Fats (1st Rev.) shall apply.

(2)

2.1.1 Refined Soya bean Oil – Soya bean Oil shall be obtained by chemical or physical refining, bleaching and deodorizing. The final products shall be free from harmful chemical.

3. REQUIREMENTS

3.1 Description – The material shall be obtained from good quality soya bean from the plant *Glycine max. (L) Merrill Syn. Glycine Soja Sieb and Zucc., fam. Leguminosae* by a suitable process of expression or solvent extraction.

3.2 The material shall be clear and free from adulterants, sediments, suspended and other foreign matter, separated water, and shall have acceptable taste and odour. It may contain antioxidants and synergist as follows :-

<u>ANTIOXIDANTS</u>	<u>MAXIMUM LEVEL OF USE</u>
i. Propyl octyl, and dodecyl gallates.	100 mg/kg individually or in combination.
ii. Butylated hydroxy-toluene (BHT) Butylated Hydroxyanisole (BHA).	220 mg/kg individually or in combination.
iii. Any combination of gallates with BHA or BHT or both.	200 mg/kg but galltes not to exceed 100 mg/kg.
iv. Natural and synthetic tocopherols.	Not limited.
v. Ascorbyl palmitate.	200 mg/kg individually or in combination.
vi. Ascorbyl Stearate.	200 mg/kg individually or in combination.
vii. Dilauryl thiodiprodionate.	200 mg/kg.
viii Tertiary Butly Hydroquinone (TBHQ).	200 mg / kg.

<u>ANTIOXIDANT SYNERGISTS.</u>	<u>MAXIMUM LEVEL OF USE.</u>
i. Citric acid and its Sodium Salt.	Limited by GMP.
ii. Isopropyl citrate mixture	100 mg/kg.
iii. Phosphoric acid.	100 mg/kg individually or in combination.

(3)

3.2.1 The following colours are permitted for the purpose of restoring natural colour lost in processing as long as the added colour does not deceive or mislead the consumer by concealing damage or inferiority or by making the product appear to be of greater than actual value.

MAXIMUM LEVEL OF USE

i.	Beta-carotene.	Not limited.
ii.	Annatto.	Not limited.
iii.	Curcumin.	Not limited.
iv.	Canthaxanthine.	Not limited.
v.	Beta-apo-8 carotenal.	Not limited.
vi.	Methyl and ethyl esters of beta-apo-8 carotenoic acid.	Not limited.

3.2.2 When added colour shall be used, the container shall be labeled with the legend “contains added permissible colour”.

3.2.3 Natural flavours and their identical synthetic equivalents except those which are known to represent a toxic hazard and other synthetic flavours approved by the codex Alimentarius commission are permitted for the purpose of restoring natural flavour lost in processing or for the purpose of standardizing flavour as long as the added flavour does not deceive or mislead the consumer by concealing damage or inferiority or by making the product appear to be of greater than actual value.

3.2.3.1 Use of the following solvents in flavour is prohibited :

- i. Diethylene glycol monoethyl ether.
- ii. Isopropyl alcohol.

3.2.3.2 When natural flavour or artificial flavour shall be used, the container shall be labeled with legend “contains natural flavour or artificial flavour”.

(4)

- 3.3 The clarity of the material shall be judged by the absence of turbidity after keeping the filtered sample at 30 °C for 24 hours.
- 3.4 Admixture with other Oils – The material shall be free from admixture with mineral or other oils of vegetable or animal origin when tested according to the methods prescribed in PS:56-1996.
- 3.5 The material shall also comply with the requirements given in Table – 1.

4. **PACKING**

- 4.1 The products shall be packed in suitably sealed and well closed containers made from food grade material in accordance with PS:4797-2002 for Flexible packs for the packing of Banaspati, Cooking Oil and Edible Oils or plastic containers (made from Food Grade Material) or in accordance with PS:4773-2002 for Tinplate Containers for Ghee, Banaspati, cooking Oil/Edible Oils.
- 4.2 The weight of tin container for packing of Refined Soya bean Oil shall be as follows :

<u>VOLUME OF FINISHED PRODUCT</u>	<u>WEIGHT OF TIN CONTAINERS</u>
16 Litre	880 g to 890 g
10 Litre	660 g to 670 g
5 Litre	330 g to 340 g
2.5 Litre	180 g to 190 g

5. **MARKING**

- 5.1 The containers shall be marked with the following particulars :-
- i. Name of the material in block letter e.g. “REFINED SOYA BEAN OIL”.
 - ii. Date of manufacture and Date of expiry.
(PS:4449-1999 Expiration periods for food product shall be strictly followed).
 - iii. Name and address of manufacturer.
 - iv. Net volume of the contents in litre.
 - v. Chemical parameters & their value should be displayed on the label., like moisture content, iodine value, peroxide value, FFA and colour etc.
 - vi. The words contains 33000 I.U. \pm 10 % (Assay variation) of Vitamin-A per kg of the finished product when packed.
 - vii. Pakistan Standard Number and PS Mark.
 - viii. Licence Number.
 - ix. Storage conditions.
- 5.1.1 No label, declaration, methods of preparation and publicity concerning the product, shall be made in a manner likely to mislead the purchaser and/or consumer as to the true nature/or composition of the product as a whole.

(5)

TABLE – 1REQUIREMENTS FOR REFINED SOYA BEAN OIL

SL. NO.	CHARACTERISTIC	LIMITS	REF.TO CLAUSE OF PS: 56-1996*
i.	Moisture and insoluble impurities, percent by weight, Max.	0.15	4
ii.	Colour in a 5 ¼ inch cell on Lovibond scale max.	R - 5 Y - 50	12
iii.	Refractive index at 40 °C.	1.465 to 1.471	9
iv.	Saponification value.	189 to 195	14
v.	Iodine value (Wijs).	125 to 140	13
vi.	Free Fatty Acid (as oleic acid) percent by weight, Max.	0.25	6
vii.	Unsaponifiable, matter, percent by weight, Max.	1.0	7
viii.	Peroxide value, expressed as milliequivalents oxygen per kg, Max.	10	20
ix.	Anisidine Value max / Rancidity (Kries Test) ***, max.	3.0 R	See Appendix-C of PS:221-2003(3 rd Rev.)**
x.	Vitamin-A.	33000 I.U. ± 10 % (Assay variation) per kg of the finished product.	23
xi.	Soap content., ppm, max.	50	Appendix-D of PS:221-2003 (3 rd Rev.)**
xii.	Linolenic Acid percent by wt. min.****	5.0 (optional)	By Gas Chromatographic analysis.

* Method of Sampling and Test for Vegetable Oils and Fats.

** Banaspati (3rd Rev.).

*** Colour produced in Kries Test shall be interpreted alongwith Peroxide Value and shall be sensory test as negative. If the colour is not deeper than 3.0 R 1 inch cell lovibond scale.

**** The requirements to have equipment for its testing is optional for the time being.

(6)

6. **SAMPLING**

6.1 Representative samples of the material shall be drawn as prescribed under PS:56-1996 (1st Rev).

7. **TEST**

7.1 Test should be carried out as prescribed in PS:56-1996 (1st Rev) and PS: 221-2003.

7.2 **Quality of Reagents** – Unless specified otherwise analytical grade chemicals and distilled water (PS:593-1991) shall be used in tests.

NOTE :- Analytical grade chemical's shall mean chemical that do not contain impurities which affect the result of analysis.
